	_		SECRET		REPORT		
							25X1
COL	INTRY	Czechoslovakia			DATE DISTR.	30 Od 5	3
	DECT 1.	Franci Weening and	Equipment	.componer of	NO. OF PAGE	is 6	• .
		the 2nd Ason. Thek Div., in	.t.a 1033 200	Lea Bright . I - Dalle	NO. OF ENCL	<b>s.</b>	
PLAC	CE QUIRED		,		(LISTED BELOW)		•
DAT	'E QUIRED				SUPPLEMENT REPORT NO.	10	25
DAT	E OF IN						
					δ* d.		•
	· .	THIS	IS UNEVALUATED	INFORMATION			25X
1.	classir				eady in the	2nd Mec	25 Z.
	and the	two major led as new. The T-49 Czech tank January 1953.		ew rarasnice nice were alr	eady in the anks arrive	2nd Meca	25 2. 25 25 25X
2.	and the Bn./unit in and arm	January 1953.  s in unit werausts, which werausts,	re in excelle	nice-were alr The T-49 t nt condition, dition.	eady in the anks arrive	2nd Meca d in	25 25 25 25X 25X
	and the Bn. unit in and arm Panzerf The 3rd repair All spathose matank drivesh repair	January 1953.  s in unit were austs, which were the parts were distinct to truck broke aft difficulties shops usually to	re in excellere in bad conts own repairs, drill presifficult to cootain were down, it was s. Replacements or three metals.	nt condition, dition.  shops for trees, and other trankshafts usually because the for the conths after the contract of the conths after the contract of	all the except the rucks and tager specialize 2nd drivesh and drivesh aperts arrithly were or	equipme d in equipme German nks. The med machi Bn., but hafts. Wh cshaft or lyed at t	25 25 25 25 25 25 25 25 enes en
2.	and the Bn. unit in and arm Panzerf The 3rd repair All spathose matank drivesh repair some of weak in seven to shop for yelparts and parts and par	January 1953.  s in unit were austs, which were to the mechanics construction. Trucks which were minor repairs were usually retailed to remain arrived. The mechanics of the minor repairs of the mechanics of the mechanics of the mechanics of the mechanics of the minor repairs of the mechanics of	re in excellere in bad conts own repairs, drill presifficult to coobtain were down, it was s. Replacement wo or three much that the driver in working trucks white urned in about the driver red method metho	nt condition,  nt condition,  dition.  shops for tr  ses, and other  btain for the  crankshafts  usually because  nts for these  conths after tr  ceshafts and conder. The in  ich were in the  cut two weeks,  cong periods  were availed med	all the except the except the except the except the except the except and tage 2nd Mecz. and drivesh a parts arrithey were or exankshafts exc. Bn. had remainder we shop for but it was sof time behanics in ilable, true	2nd Mecading equipmed German  anks. The ged maching Bn., but mafts. When the control of the cont	25 25 25 25 25 25 25 25 25 25 25 25 25 2
2.	and the Bn. unit in unit in and arm Panzerf The 3rd repair All spathose matank drivesh repair some of weak in seven to shop for yell parts a returned the from Parts and the seven to shop for yell parts a returned the seven to shop for yell parts a returned the seven to shop for yell parts a returned the seven to shop for yell parts a returned the seven to shop for yell parts a returned the seven to shop for yell parts a returned the seven to shop for yell parts a returned the seven to shop for yell parts a returned the seven to shop for yell parts a returned to shop for yell pa	January 1953.  s in unit were austs, which were austs, which were dishops had lather reparts were dist difficult to truck broke aft difficulties the mechanics construction. Trucks which were minor repairs were usually retained to remain arrived. There are from repairs a parts except to rague and Brno.	re in excellere in bad conts own repairs, drill presifficult to coobtain were down, it was s. Replacement that the driver in working Trucks white urned in about standing for were very few rained mechanisconer.	nt condition,  nt condition,  dition.  shops for tr  ses, and other btain for the crankshafts usually because that for these conths after tr  ceshafts and conder. The int two weeks, condition to the crankshafts usually because the crankshafts usually bec	all the except the exc	equipme equipme German anks. The ed machi Bn., but shaft or lyed at t dered. were ver i only ere in the minor re not unus efore spe battali on on eez. Bn.	25 25 25 25 25 25 25 25 25 25 25 25 25 2
2.	and the Bn. unit in unit in and arm Panzerf The 3rd repair All spathose matank drivesh repair some of weak in seven to shop for vehicle from Parts and returned the seven to t	January 1953.  s in unit were austs, which were austs, which were to truck broke aft difficult to truck broke aft difficulties shops usually to the mechanics construction.  The mechanics construction crucks which were usually retained to remain the construction.  The mechanics construction crucks which were usually retained to remain the construction.  There is to remain the construction there is to remain the construction there is a parts except to the construction the construction.	re in excellere in bad conts own repairs, drill presifficult to contain were down, it was so Replacement that the driver in March 195 e in working Trucks white urned in about standing for were very few rained mechanisoner.	nt condition,  nt condition,  dition.  shops for tr ses, and other btain for the crankshafts usually because the crankshafts usually because the crankshafts and conder. The research were in the conder. The research were in the conder of the	all the except the exc	equipmed German conks. The defence of the control o	25X nt 25 25 enes. en 25 v 25

Approved For Release 2009/08/10: CIA-RDP82-00046R000200300016-9



SECRET

-2-

drained from the radiators, then the summer oil was drained and winter oil put in. Batteries were disconnected and turned in for charging and storage. Tires were not deflated. The charging of the batteries was done by the service section, which was composed of repair men in such fields of motor repair as tank mechanics, battery chargers, and artificers. Armored vehicles such as half-tracks, were given a general overhauling. Oil was changed and a general inspection was made on all working parts. Tanks underwent the same inspection as half-tracks. Besides the maintenance given equipment, all trucks, half-tracks, tanks, and artillery guns were covered with a thin coat of a vaseline-like substance to prevent rusting and to keep them in proper working condition. The working mechanism on guns and tanks was not extracted, but was oiled and greased for winter. no further information in relation to special measures taken by the Czechoslovak Army in the maintenance of its equipment.

25X1

25X1

it moved to the All T/E weapons and equipment went with training area for the annual summer training exercises. No additional weapons or equipment were issued to the unit when it arrived in the area. It did have additional weapons and equipment, but these remained in storage in Mlada-Milovice, and this equipment was only to be used in case of war, when the weapons in storage would be used by the personnel who would be drafted into the unit (up to 10,000 for the 3rd Tk. Div.). If the unit needed additional "live" ammunition for summer training, a truck was dispatched from the area to a storage point in Mlada. There were ammunition depots in the area around Mimon, but these were used only in case of a shortage or emergency, such as war. Otherwise, the unit had to go back to Mlada to get its ammunition.

6.

unit was alloted a certain number of rounds and when they were expended, it did not receive more. If the unit firing zeroed in on its target with a few rounds, it was scored as good and did not have extensive training in this phase.

7.

25X1

Table A: Estimated T/E of the 2nd Mecz. Bn., 103rd Mecz. Regt.

Equipment Utilized by the Czechoslovak Army Table B:



SECRET

25X1

## SECRET SECURITY INFORMATION

Table A

Estimated T/E of the 2d Mecz Bn. 103d Mecz Regt

			·								-
	Pistor	E 12	Pifles*Mod	IMG, Model 68,	Hag, Czech ::	Mortar, 82	Mortar, 120 Blum He	44-MG 12 7	AT-Rie,	Tarashice, 7.92-mm	7 100 is 100 is
lst Inf Co	10	36	27	9	1						A
2d Inf Co	10	36	27	9	j.						
3d Inf Co	10	36	27	9	1						
HMG Co	7	8	6		6						
Mortar Co	7	26		*	-	3	3		. St. American		
AA AT Gun Co	9	39	£					3	6	3	
AA Plat	(4)	(9)						(3)			
AT Plat	(2)	(12)		- N					- 1		
Tarasnice Plat	(3)	18)					-		(6)	(3)	1:
Hq Section	2	12					ř				
Sig Plat	1	40								-	
Trans Co		60				- 80 <sup>7</sup>					
Bn Total	56	293	87	27	6	3	3	3	6	, 3	
				=							В

\* Gunners on crew-served weapons had no individual small arms

SECRET SECURITY INFORMATION



SECRET

25X1

## SECRET SECURITY INFORMATION

Table A (Cont'd)

Estimated T/E of the 2d Mecz Bn, 102d Mecz Regt

AT-Gun, 76-mm, Soviet	Panzerfausts, German	BMV, German	Jawa, Czech 250-em	Jeep, America		Praga RMD or	Hakl, Half-t-	Grenade, Moder	Ford (Canadian)	rig.	Telephone, TP or	Radio, R. 6-Soviet	Radio, 19 MK.	Rice, Drum.
A	é				82	6	9	40	1				1 11	
				,	82	6	. 9	40	Ţ		ing in			
		, ×	7		82	6	9	40	1					
				1	27	2	. 3 <sup>1</sup>	10	1					
						2	3	10	1			1		
3	4		1 = 3.		67	7	7	15	1					
			Ų		(16)	(2)	(2)	(5)	(1)					
(3)				ş	(17)	(1)	(2)	(5)					p.v.	
	(4)	7). V	7		(34)	(4)	(3)	(5)						
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1	1		177 37	3	1	5						
/ 	.:					-				1	4	)	3	6
	340	-			60	·								
3	4	1	1	1	400	32	41	160	6	1	4	9	3	6
В				1.43°				weg.				7.5 <sub>1</sub>		
	بها الم			SE	CRET	SECU	JRITY	INF	ORMA	TION		. 3		V .



SECRET

Table B

## Equipment Utilized by the Czechoslovak Army

	Type	Country of Manu- facture	Caliber	Model	Year of Manu- facture	Condition	Remarks
	Pistol	Czech	7.65 mm.	50	1951	Good	e e e e e e e e e e e e e e e e e e e
	Pistol	Unk.	9.mm.	1908	-		8 rounds per clip
	Pistol	German	9 mm.	P-38& Luger	Post War	Good	<u>.</u>
	Pistol	Soviet	7.62 mm.	1933	Unk.	Unk.	
	SMG	Czech	7.62 mm.	23	1949-50	Excellent	40 rounds per clip, 2,000 rounds per minute.
	Rifle	Czech	7.92 mm.	98	1949	Good	5 rounds per clip
	LMG	Czech	7.92 mm.	26	1948	Good	700 rounds per minute, 230 rounds per belt.
	HMG	Czech	7.92 mm.	37	1951	Good	550 rounds per minute, 750 rounds per belt.
	AT Gun	Soviet	76 mm.	Unk.	WW II	Good	8 rounds per minute
	Mortar	German	82 mm.	Unk.	WW II	Good	Old German 81 mm. rebored to Soviet 82 ammo; 15 rounds per minute.
1	Mortar	Soviet	120 mm.	Unk.	Post WW II	Good	8 rounds per minute
10 10 10 10	Howitzer	Soviet	120 mm.	Unk.	Unk.	Unk.	5 rounds per minute
	AA MG	Czech	12.7 mm.	Unk.	Unk.	Good	<u>-</u>
	AA MG	Soviet	Unk.	1938	Unk.	Unk.	500 rounds per minute
4	Taras- nice	Czech	100 mm.	Unk.	Unk.	Good	Recoilless AT gun; 4 rounds per minute
S 8	Panzer- faust	German	50 mm.	Unk.	II WW	Fair	<u>-</u>
	Grenades	Czech	· <del>-</del> [3	38 and 48	3 Unk.	Unk.	Manufactured by the Skoda Works
	Half- track	German	- I	iakl	WW II	Fair	Tracks on these not good; two fuel tanks, each of 50 lit. capacity (2 km. to the lit. of diesel fuel)

SECRET



SECRET

Table B (cont'd)

Type	Country of Manu- facture	Caliber	<u>Model</u>	Year of Manu- facture	Condition	Remarks
Truck	Czech	-	Praga- RND	1951	Excellent	50 lit. tank capa- city
Truck	Czech		Tatra III	1951 <b>-</b> 52	Excellent	50 lit. tank capacity (about 4 km. to the liter)
Fuel Truck	Czech	·	Tatra III	<del>-</del>	<b>-</b>	Carried egg-shaped tank holding about 1,000 lit. of gas
Motor-	Czech	<u>.</u>	Jawa	1952	Good	- .*.

